



Description:

ENH-DG128064-88 is a newly customized product, good contrast, FSTN, Positive LCD; IC ST7567; mounted with backlight. Shenzhen Enrich Electronics specialize in custom LCDs more than 7 years, could help customer design the projection.


Specifications:

1.Product name :	ENH-DG128064-88
2.Size:	47.40x42.00mm
3.Viewing area :	42.38x31.50mm
4.Active area :	38.38x29.42mm
5.Resolution:	128X64
6.Display type :	FSTN/Transflective/Positive
7.Viewing angle:	6 O'clock
8.Drive method :	1/65 duty, 1/9 bias
9.Working temp :	-10℃~+60℃
10.Storage temp :	-20℃~+70℃
11.Connector:	COG+FPC
12.Drive IC :	ST7567
13.Backlight :	1 pcs white led backlight
14.Interface:	SPI
15.Voltage:	Vop=9.0V, Vdd=3.0V

Detail images:



Display drawing:



Specifications:

1. Display Mode: FSTN/Positive/Transflective.
2. Viewing Angle: 6 O'clock.
3. Drive Method: 1/65Duty, 1/9Bias, $V_{lcd}=9.0\pm0.2V$, $VDD=3.0V$.
4. Backlight Type: White, 3.0V, 30mA, 2pcs.
5. Operating Temp: $-10^{\circ}C\sim+60^{\circ}C$.
6. Storage Temp: $-20^{\circ}C\sim+70^{\circ}C$.
7. Connector: COG+FPC
8. Drive IC: ST7567 (COG)
9. Customer P/N: ENH-DG128064-88-YFPHGF
10. Unmarked Tolerance: $\pm0.2mm$
11. Requirements On Environmental Protection: RoHS

Customer's Application:



LCD for home appliance



Lcd for blood pressure monitor

FAQ:

1.Q: How long can I expect to get the sample?

A: If we have this LCD sample in stock, we will send you at once after the payment.

2.Q: Will you offer free sample after tooling?

A: For customized LCD, after customer pay the tooling cost, we will provide 3 to 5 pcs free samples for test.

3.Q: Can you design the lcd in accordance with our demand?

A: Sure. We will give you the best tooling charge.

Contact us:



Shenzhen Enrich Electronics Co., Ltd



Cassie Huang

[Tel: +86-755-27864416](tel:+86-755-27864416)

Fax: +86-755-27864653

Mobile: +86 159 8936 6182

Email: cassie@rxxdisplay.com

Wechat: 18296551775

Whatsapp: + 86 182 9655 1775

Skype: live:cassie_1191